

ACCEPTED S.B.S. MODIFIED BITUMINOUS MEMBRANE FLASHING

Styrene butadiene styrene (SBS) membranes are categorized as modified bituminous (MB) membranes. Modified bituminous membranes shall comply with the requirements of CGSB 37-GP-56M / CSA A123.23-15. All modified bituminous membrane flashing components shall be from the same manufacturer.

IKO Membrane Flashing Base Sheet	Attachment Method					Surfaces (Bottom/Top) S=Sanded Surface SA=Self-Adhered TF=Thermofusible Film RF=Release Film O=Other	ARCA Warranty Certificate								
	Adhered (adhesive)	Adhered (asphalt)	Self Adhered	Mech. Fast.	Torch		5 Year	10 Year	15 Year						
							SA / S	SA / TF	SA / TF	SA / RF	S / TF	TF / S	TF / TF	O / TF	O / TF
Armourbond Flash Sand			●			SA / S	●	●							
Armourbond Flash			●			SA / TF	●	●							
Armourbond Flash HD			●			SA / TF	●	●							
Armourbond 180			●			SA / TF	●	●	●						
ArmourStick HD-Base			●			SA / RF	●	●							
Fast-N-Stick 180 Base				●		S / TF	●	●	●						
Modflex MP-180	●	●				S / TF	●	●							
Torchflex TF-95					●	TF / S	●	●							
Torchflex TP-180					●	TF / TF	●	●	●						
Protectobase	●	●		●		O / TF	●	●							
Protectobase 180	●	●		●		O / TF	●	●	●						
ShieldBase 180	●	●		●		O / TF	●	●	●						
ShieldBase 180 Sanded	●	●		●		S / TF	●	●	●						

Approved Adhesives: IKO Millenium Adhesive (Protectobase, Protectobase 180, ShieldBase 180 & ShieldBase 180 Sanded ONLY)
 IKO Cold Gold Flashing Adhesive

IKO Membrane Flashing Cap Sheet	Attachment Method					Surfaces (Bottom/Top) S=Sanded Surface SA=Self-Adhered TF=Thermofusible Film GR=Granules O=Other	ARCA Warranty Certificate					
	Adhered (adhesive)	Adhered (asphalt)	Self Adhered	Torch	5 Year		10 Year	15 Year				
							SA / GR	S / GR	TF / GR	TF / GR	TF / GR	TF / GR
ArmourStick HD-Cap			●			SA / GR	●	●				
Modflex MP-180-Cap	●					S / GR	●	●				
Prevent TP-250 Cap					●	TF / GR	●	●	●			
Prevent TP-250 Cap 5.0					●	TF / GR	●	●	●			
Prevent TP-HD-Cap					●	TF / GR	●	●	●			
Torchflex TP-180 Cap					●	TF / GR	●	●				
Torchflex TP-250 Cap					●	TF / GR	●	●	●			
Torchflex TP-250 Cap 5.0					●	TF / GR	●	●	●			
Torchflex TP-HD-Cap					●	TF / GR	●	●	●			

Approved Adhesives: IKO Cold Gold Flashing Adhesive

Polyglass Membrane Flashing Base Sheet	Attachment Method					Surfaces (Bottom/Top) S=Sanded Surface SA=Self-Adhered TF=Thermofusible Film O=Other	ARCA Warranty Certificate		
	Adhered (adhesive)	Adhered (asphalt)	Self Adhered	Mech. Fast.	Torch		5 Year	10 Year	15 Year
							S / TF	S / TF	S / TF
Elastoflex S6	●	●		●	●	S / TF	●	●	●
Elastoflex S6 22	●	●		●	●	S / TF	●	●	●
Elastoflex SA Base			●			S / TF	●	●	●
Elastoflex SA P			●			S / TF	●	●	●

Approved Adhesives:



Polyglass Membrane Flashing Cap Sheet	Attachment Method					Surfaces (Bottom/Top) S=Sanded Surface SA=Self-Adhered TF=Thermofusible Film GR=Granules O=Other	ARCA Warranty Certificate		
	Adhered (adhesive)	Adhered (asphalt)	Self Adhered	Torch	5 Year		10 Year	15 Year	
Elastoflex S6 G				●		TF / GR	●	●	●
Elastoflex S6 G HP				●		TF / GR	●	●	●
Approved Adhesives:									

Siplast Membrane Flashing Base Sheet	Attachment Method					Surfaces (Bottom/Top) S=Sanded Surface SA=Self-Adhered TF=Thermofusible Film O=Other	ARCA Warranty Certificate		
	Adhered (adhesive)	Adhered (asphalt)	Self Adhered	Mech. Fast.	Torch		5 Year	10 Year	15 Year
Paradiene 20		●				S / S	●	●	●
Paradiene 20 TG					●	TF / S	●	●	●
Paradiene 20 EG TG					●	TF / S	●	●	●
Paradiene 20 HT TG					●	TF / S	●	●	●
Approved Adhesives:									

Siplast Membrane Flashing Cap Sheet	Attachment Method					Surfaces (Bottom/Top) S=Sanded Surface SA=Self-Adhered TF=Thermofusible Film GR=Granules O=Other	ARCA Warranty Certificate		
	Adhered (adhesive)	Adhered (asphalt)	Self Adhered	Torch	5 Year		10 Year	15 Year	
Paradiene 30 FR TG					●	TF / GR	●	●	●
Paradiene 30 HT FR TG					●	TF / GR	●	●	●
Parafor 30 TG					●	TF / GR	●	●	●
Parafor 50 TG					●	TF / GR	●	●	●
Approved Adhesives:									

Soprema Membrane Flashing Base Sheet	Attachment Method					Surfaces (Bottom/Top) S=Sanded Surface SA=Self-Adhered TF=Thermofusible Film O=Other	ARCA Warranty Certificate		
	Adhered (adhesive)	Adhered (asphalt)	Self Adhered	Mech. Fast.	Torch		5 Year	10 Year	15 Year
Colply Base 410	●	●				S / S	●	●	
Colvent Base 830			●			SA / TF	●	●	
Colvent Base 840			●			SA / S	●	●	
Elastophene 180 PS		●				S / TF	●	●	
Sopraply Flam Stick			●			SA / S	●	●	●
Sopraply Stick Duo			●			SA / S	●	●	●
Sopraflash Stick			●			SA / S	●	●	
Sopraflash Stick Duo			●			SA / S	●	●	
Sopraflash Flam Stick			●			SA / S	●	●	
Soprafix Base 630				●		S / TF	●	●	●
Sopralene Flam 180					●	TF / TF	●	●	
Sopraply Base 510		●				S / TF	●	●	
Sopraply Base 520					●	TF / TF	●	●	●
2-1 Soprasmart FB	●	●		●		O / TF	●	●	
2-1 Soprasmart Board	●	●		●		O / TF	●	●	●
2-1 Soprasmart Board Sanded	●	●		●		O / S	●	●	●
2-1 Soprasmart ISO HD	●	●		●		O / TF	●	●	●
2-1 Soprasmart ISO HD Sanded	●	●		●		O / S	●	●	●
2-1 Soprasmart Rock		●		●		O / TF	●	●	
Approved Adhesives: Soprema Duotack Adhesive (2-1 Soprasmart FB, 2-1 Soprasmart Board / Sanded & 2-1 Soprasmart ISO HD / Sanded ONLY) Soprema Duotack 365 Adhesive (2-1 Soprasmart FB, 2-1 Soprasmart Board / Sanded & 2-1 Soprasmart ISO HD / Sanded ONLY)									



Soprema Membrane Flashing Cap Sheet	Attachment Method				Surfaces (Bottom/Top) S=Sanded Surface SA=Self-Adhered TF=Thermofusible Film GR=Granules O=Other	ARCA Warranty Certificate		
	Adhered (adhesive)	Adhered (asphalt)	Self Adhered	Torch		5 Year	10 Year	15 Year
ColPly Traffic Cap Flex	●				S / GR	●	●	
Sopralene Mammoth GR				●	TF / GR	●	●	
Sopralene Flam 180 GR				●	TF / GR	●	●	
Sopralene Flam 180 FR GR				●	TF / GR	●	●	
Sopralene Flam 250 GR				●	TF / GR	●	●	●
Sopralene Flam 250 FR GR				●	TF / GR	●	●	●
Sopraply Stick Traffic Cap			●		SA / GR	●	●	
Sopraply Traffic Cap				●	TF / GR	●	●	●
Sopraply Traffic Cap FR				●	TF / GR	●	●	●

Approved Adhesives: Soprema Colply Traffic Cap Flex approved with Soprema ColPly EF Adhesive ONLY.

ACCEPTED LIQUID-APPLIED MEMBRANE FLASHINGS - 5 and 10 Year W.C.

IKO

IKO MS Detail – One component (Modified Silicone) with polyester mesh reinforcement fabric

SOPREMA

Alsas – One component (Polyurethane/Bitumen Resin) with Alsas Polyester Fleece reinforcement fabric
 Alsas RS 230 – Two component PMMA Acrylic Resin

ACCEPTED LIQUID-APPLIED MEMBRANE FLASHINGS – 15 Year W.C.

IKO

Metatech – Two component PMMA Acrylic Resin

SOPREMA

Alsas RS 230 – Two component PMMA Acrylic Resin