



**ACCEPTED S.B.S. MODIFIED BITUMINOUS MEMBRANE SYSTEMS**

**IKO**

| 5 and 10 Year ARCA<br>Warranty IKO  | BASE PLY  | CAP PLY  |
|-------------------------------------|---|--|
| Uninsulated                         | Modiflex MF-95<br>Modiflex MP-180<br>Torchflex TF-95<br>Torchflex TP-180<br>Torchflex HD-FF<br>Protectobase<br>Protectobase 180 | Torchflex TP-180 Cap<br>Torchflex TP-250 Cap<br>Prevent TP-250 Cap<br>Torchflex TP-250 Cap 5.0<br>Prevent TP-250 Cap 5.0<br>Prevent Premium TP-250 Cap 5.0<br>Premium TP<br>Torchflex TP-HD-Cap  |
| Insulated                           | Modiflex MF-95<br>Modiflex MP-180<br>Torchflex TF-95<br>Torchflex TP-180<br>Torchflex HD-FF<br>Protectobase<br>Protectobase 180 | Torchflex TP-180 Cap<br>Torchflex TP-250 Cap<br>Prevent TP-250 Cap<br>Torchflex TP-250 Cap 5.0<br>Prevent TP-250 Cap 5.0<br>Prevent Premium TP-250 Cap 5.0<br>Premium TP<br>Torchflex TP-HD-Cap  |
| Protected Membrane                  | Modiflex MP-180<br>Torchflex TP-180<br>Torchflex HD-FF<br>Protectobase<br>Protectobase 180                                      | Torchflex TP-180 Cap<br>Torchflex TP-250 Cap<br>Prevent TP-250 Cap<br>Torchflex TP-250 Cap 5.0<br>Prevent TP-250 Cap 5.0<br>Prevent Premium TP-250 Cap 5.0<br>Torchflex TP-HD-Cap  |
| Fast-N-Weld (mechanically fastened) | Fast-N-Stick 180 Base   | Torchflex TP-180 Cap<br>Prevent TP-180 Cap<br>Prevent Premium TP- 180 CAP<br>Torchflex TP-250 Cap<br>Prevent TP-250 Cap<br>Prevent Premium TP 250 Cap<br>Torchflex TP-250 Cap 5.0<br>Prevent TP-250 Cap 5.0<br>Prevent Premium TP-250 Cap 5.0<br>Premium TP<br>Torchflex TP-HD-Cap |



## SOPREMA

| 5 and 10 Year ARCA<br>Warranty SOPREMA | BASE PLY   | CAP PLY   |
|--|--|---|
| Uninsulated                            | Soprabase FR<br>Soprabase HD<br>Soprasmart Board 180<br>Elastophene PS<br>Elastophene 180 PS<br>Colvent 830  | Sopralene Flam 180<br>Sopralene Flam 180 FR<br>Sopralene Flam 250 GR<br>Sopralene Flam 250 FR<br>Mammoth 250 GR 5mm<br>Colvent Traffic Cap 860  |
| Insulated                              | Elastophene PS<br>Elastophehe 180 PS<br>Soprabase FR<br>Soprabase HD<br>Soprasmart Board 180<br>Xpress Board | Sopralene Flam 180<br>Sopralene Flam 180 FR<br>Sopralene Flam 250 GR<br>Sopralene Flam 250 FR<br>Mammoth 250 GR 5mm   |
| Protected Membrane<br>(mopped)         | Elastophene PS<br>Elastophene 180 PS   | Sopralene Flam 180<br>Sopralene Flam 180 Cap<br>Sopralene Flam 180 FR<br>Sopralene Flam 250<br>Sopralene Flam 250 Cap<br>Sopralene Flam 250 GR<br>Sopralene Flam 250 FR<br>Mammoth 250 GR 5mm |
| Protected Membrane<br>(torched)        | Sopralene Flam 180   | Sopralene Flam 180<br>Sopralene Flam 180 Cap<br>Sopralene Flam 180 FR<br>Sopralene Flam 250<br>Sopralene Flam 250 Cap<br>Sopralene Flam 250 GR<br>Sopralene Flam 250 FR<br>Mammoth 250 GR 5mm |
| Single Ply                             | N/A  | Unilay 750 (min. slope 3%)<br>(Torch seam only)   |
| Soprafix<br>(mechanically fastened)    | Soprafix 630   | Soprafix Traffic Cap 660  |
| Colvent                                | Colvent 830  | Colvent Traffic Cap 860   |
| Sopraply                               | Sopraply 510<br>Sopraply 520<br>Xpress Board<br>Soprasmart Board 180   | Sopraply Traffic Cap 560<br>Sopraply Traffic Cap FR 661   |



## SIPLAST

| 5 and 10 Year ARCA<br>Warranty SIPLAST | BASE PLY   | CAP PLY  |
|--|--|--|
| Uninsulated                            | Paradiene 20<br>Paradiene 20 TG<br>Paradiene 20 EG T<br>Paradiene 20 HT TG | Parafor 30 TG<br>Parafor 50 TG   |
| Insulated                              | Paradiene 20<br>Paradiene 20 TG<br>Paradiene 20 EG T<br>Paradiene 20 HT TG | Parafor 30 TG<br>Parafor 50 TG   |
| Protected Membrane<br>(torched)        | Paradiene 20 TG,<br>Paradiene 20 EG TG<br>Paradiene 20 HT TG               | Paradiene 20 TG<br>Paradiene 20 EG TG<br>Paradiene 20 HT TG<br>Parafor 30 TG |
| Combination (mopped)                   | Paradiene 20   | Paradiene 20 TG<br>Paradiene 20 EG TG<br>Paradiene 20 HT TG<br>Parafor 30 TG |