



**December 5, 2016**

## Technical Bulletin TB-2016-09 (revised)

### I. New ARCA Approved Asphalt Shingle.

On November 23<sup>rd</sup>, 2016 ARCA Warranty Ltd. approved the IKO Cambridge laminated asphalt shingle as an ARCA accepted product and is eligible for an ARCA five (5) Year Warranty Certificate when installed in accordance with the ARCA Roofing Application Standards Manual. This product replaces IKO Cambridge 30 and IKO Cambridge 30 AR.

#### **ACCEPTED ASPHALT SHINGLE ADDITIONS:**

IKO Cambridge

#### **ASPHALT SHINGLES REMOVED:**

IKO Cambridge 30  
IKO Cambridge 30 AR

This change will be in effect for jobs bid after January 23<sup>rd</sup>, 2017. Changes will be referenced in the ARCA Roofing Application Standards Manual.

### II. Asphalt Shingle Hand Tabbing Revision.

The following standard has been reviewed and approved by ARCA Warranty Ltd. and will be in effect for jobs bid after January 23, 2017.

#### **Standard being replaced:**

SS 2.7.5.2. Follow shingle manufacturer's application recommendations and allow one (1) season for shingles to seal. It may be necessary to hand tab shingles during cold weather applications.

#### **New standard:**

SS 2.7.5.2. Follow shingle manufacturer's application recommendations and allow one (1) season for shingles to seal. Shingles shall be hand tabbed during cold weather applications in accordance with manufacturers recommendations.

This change will be referenced in the ARCA Roofing Application Standards Manual.



### III. IKO Protectobase 180 approved for use in the ARCA 15 Year Warranty program.

On November 23rd, 2016 ARCA Warranty Ltd. approved the use of IKO Protectobase 180 as a laminated primary base sheet for use in the ARCA 15-Year Warranty Program when installed in accordance with the ARCA Roofing Application Standards Manual.

This change will be in effect for jobs bid after January 23rd, 2017. Changes will be referenced in the ARCA Roofing Application Standards Manual.

### IV. Laminated Primary Base Sheet Application standards.

The following standard has been reviewed and approved by ARCA Warranty Ltd. and will be in effect for jobs bid after January 23, 2017.

#### **MB 6.4.2.10 – Side lap adhesion.**

##### New Standard:

MB 6.4.2.10. Laminated primary membrane base sheet panels shall have their side laps heat sealed with either a torch using a round nose trowel to butter the edges or hot air welder.

This change will be referenced in the ARCA Roofing Application Standards Manual.