

December 1, 2020

Technical Bulletin TB-2020-11

I. Approved Name Changes.

On November 18th, 2020 ARCA Warranty Ltd. approved the name changes for the following DuPont insulation products.

DuPont Deckmate Type 2 Extruded Polystyrene Insulation
DuPont Deckmate 200 Type 3 Extruded Polystyrene Insulation
DuPont Roofmate Type 4 Extruded Polystyrene Insulation
DuPont Deckmate Plus FA Extruded Polystyrene Insulation

Changes will be referenced in the ARCA Roofing Application Standards Manual, ARCA Project Information Forms and the ARCA Approved Products Listing.

II. Discontinued Product.

On November 18th, 2020 ARCA Warranty Ltd. approved the removal of following Dow Insulation Adhesive.

Dow Insta-Stik Professional Roofing Adhesive

Changes will be referenced in the ARCA Roofing Application Standards Manual, ARCA Project Information Forms and the ARCA Approved Products Listing.

III. Approved Asphalt Shingle.

On November 18th, 2020 ARCA Warranty Ltd. approved the addition of one (1) IKO ARCA approved asphalt shingles for use in the ARCA Warranty Certificate program.

IKO Dynasty

Changes will be referenced in the ARCA Roofing Application Standards Manual, ARCA Project Information Forms and the ARCA Approved Products Listing.

IV. New Membrane Application Standard.

On November 18th, 2020 ARCA Warranty Ltd. approved the revision to the modified bituminous membrane cap sheet standard around the drain location.

MB 7.3.7.1.6

Existing Standard:

The membrane cap sheet ply shall be thermally fused to cover the membrane flashing and terminate at the interior face of the drain hopper. Cap sheet laps shall be located outside of the roof drain sump boundary.

New Standard:

The membrane cap sheet ply shall be thermally fused to cover the membrane flashing and terminate at the interior face of the drain hopper. Cap sheet laps shall be located a minimum of 300mm (12") from the exterior edge of the drainage bowl.

These changes will be in effect for jobs bid after January 17th, 2021. Changes will be referenced in the ARCA Roofing Application Standards Manual.